Received Sept. 1965

U-3

OUTDOOR POWER EQUIPMENT

Gilson®



POWER UP! THERE'S A GILSON TO MAKE EVERY LAWN AND GARDEN CHORE EASIER, GIVE YOU BETTER RESULTS, MORE LEISURE!



GILSON TILLERS

Right from the start, you're off to a better garden with a Gilson tiller. That's because it works deep, shredding and mixing up soil and organic matter to form a loose, porous seedbed. This means roots can reach out and penetrate easily. As a result plants get off to a head start, grow faster and bigger right through the season. And the more you use a Gilson tiller, the more you build up your soil. Each year it becomes more productive.

Gilson tillers are solidly built to stay in perfect alignment. They hold to the soil, the tines dig in deeper and mix more continuously and thoroughly. Tines are tough, specially heat-treated steel . . . guaranteed. Replaced free if ever broken. Adjustable tail piece gives you constant depth control. Makes a Gilson easy to maneuver. Powerful engines take you easily through the most stubborn soil.

Take the controls of a Gilson tiller and see for yourself how it gets your garden off to a faster start, assures bigger blooms, a more bountiful harvest the natural way.

4 hp (245) corporal®

Larger gardens call for a tiller with an extra measure of power and stability, plus control that makes every minute of garden time easier, more efficient. The big, husky 4 hp Briggs & Stratton engine on the Corporal is more than a match for the toughest soil conditions. It powers the Bolo tines 8 inches deep and holds them there for perfect slicing and blending action. New heavy channel steel handles are adjustable to your convenience. New deluxe tine shield. Single over-center clutch control gives you forward, neutral and reverse. New spring-loaded idler arm improves this convenient clutch control, increases belt life. Shipping wt. 170 lbs.

In every way designed for better performance, longer life

Soil-Building Tines — Gilson design gives tines a smooth, steady sweeping cut-and-blend action. They cut the full length of the blade — work deep to mix the soil thoroughly, work in organic matter. Leave a loose, porous seedbed. Non-winding design saves power. Tines are especially heat treated steel . . . guaranteed. Replaced free if ever broken.



Variable Tilling Width — Cultivate narrow 12" rows or work up to 26" wide — up to 40" with extension tines. Hubs and tines are readily adjusted, takes little time to match your needs. Variable width permits you to work right through the growing season — make the most of your tiller.



3½ hp (343) super standard

The surprising thing about this tiller is its high quality construction, deluxe features — all at a popular price. For example, over-center clutch control with positive-action forward, neutral and reverse. Smooth control that lets you adapt quickly to soil and garden conditions. The Super Standard features a cast iron gear case, precision-built drive, 16 14″ Bolo non-winding tines, maneuverable swinging depth control, vertically mounted Briggs & Stratton engine with heavy cast iron flywheel for smooth operation. Handles are clear and comfortable — with centrally located controls. It tills to 7″ deep . . . 26″ wide. 10 x 1.75 semi-pneumatic wheels. Shipping wt. 150 lbs.

4 hp (347) super 400

More dig-in power, more effective tilling action with this 4 hp version of the efficient Super Standard. Big, powerful Briggs & Stratton Kool Bore engine has a heavy cast iron flywheel that carries this tiller through the toughest work without a falter. Features convenient Easy Spin starter, throttle control at the handle. Forward, neutral and safety contact reverse are easily and quickly operated with a single centrally located, over-center clutch control. Variable tilling width permits you to cultivate as narrow as 12″ or work a full 26″ wide — more with extension tines. The 4 hp Super 400 tills to 8″, has a positive-acting depth control, 10 x 1.75 wheels. Shipping wt. 160 lbs.

4 hp (374) super deluxe

The big gardener and the semi-pro find this tiller has everything it takes to handle full time gardening day after day. Solid cast iron construction throughout gives it a distinct advantage that keeps the tines digging deep under all soil conditions. And, it's easy to handle and maneuver. Balanced design is one reason, swinging tail piece with positive depth control is another. The Super Deluxe has forward, neutral and safety contact reverse operated from a single over-center control. It has 16 heat treated 14″ Bolo tines, 12, 20 and 26″ tilling widths . . . precision gear train . . . tapered roller bearings . . . 4 hp Briggs & Stratton engine. Shipping wt. 200 lbs.

5 hp (451) corporal® heavy duty

Big professional power and performance. This is the tiller with the extra power for the professional grower — the big landscape gardener. Two-speed drive permits the right cutting and blending action for all soil conditions from "sod busting," to shallow cultivation. 5 hp, 4 cycle Lauson engine, with full pressure lubrication, balanced directly over the tines for handling ease, steady, deep tilling. Adjustable height steel channel handles. Single over-center forward-neutral-reverse control. New deluxe style tine shield. Precision gear drive, four tapered roller bearings, cast iron case for positive alignment, continuous performance. Shipping wt. 180 lbs.

Versatile accessories save time, give you more work capacity

LAWN EDGER, (680) Gives your lawn and garden that precise edge that's well groomed, easier to maintain. Edger attaches easily and quickly with two bolts.

FURROW OPENER, (651) Bolts directly to depth stick to open a furrow for planting. Ideal for corn, bulbs — all row crops.

TILLER LUBE OIL Specially compounded lead base for Gilson tiller gear cases. SAE 140 extreme pressure. ½ pt. can.

EXTENSION TINES, (601) Attach easily to any Gilson tiller with only two bolts — builds your tilling width to 40 inches.

HILLER ATTACHMENT, (649) Mounts quickly on depth stick to hill up row crops — close furrows.

TRANSPORT WHEELS, (690) Slips on axle, secured with single pin, makes it easy to move tiller from garage to garden.

There's more. See your dealer for information on the complete line of Gilson tiller accessories.

care for your lawn this way — and relax!

When you drive off on one of these capable, comfortable riding mowers, you quickly discover new freedom from lawn problems. You find that a big lawn isn't so big after all. And that heavy, shaggy growth isn't a bit more work to handle.

That's because these riders are powered to move you right along without a single slow-down, even on slopes and banks.

And, of course, you can hardly call it work (in fact, it's kind of fun). You sit there comfortable as can be, in full command. Quick, responsive steering makes your rider nimble as a polo pony. You cut the corners sharp and square, trim close and clean. And crisp cutting action gives you a lawn you can be proud of, without scalping or "browning."

GILSON RIDING MOWERS

6 hp (892) holiday deluxe

This is the finest riding mower we've ever built. But don't let that soft bucket seat, handsome styling or man-size steering wheel fool you. This deluxe rider is built for more than comfort or good looks.

Take the power-packed 6 hp Lauson engine. Teamed up with the 3-speed auto-type transmission, it lets you cover a lot of ground fast. Carries you up slopes and down, through lush, heavy turf without missing a beat. It takes a 25 inch swath, cuts crisp and clean on all terrain. And it handles so easily you can sit back, relax and watch the work go by.

This rider steps lightly, too. Wide 16-inch rear tires, 10-inch front give you plenty of traction but leave nary a mark on your lawn. Cutting height is instantly adjustable with handy lever. Deck is heavy, deep-drawn steel. Features non-slip differential and independent blade clutch. Exceptionally rugged construction throughout gives you a rider with long-lasting performance and value. Ship. wt. 310 lbs.



CONFORMS TO SAFETY ASA STANDARD

All riding mowers shown on these pages bear this ASA seal. It's your assurance of approved safety design standards.

4 hp (889) custom

It's on the low price end of our riding mower line but you can't find more performance or value for your money. Look what it features: husky 4 hp Briggs & Stratton engine . . . non-slip differential . . . independent blade clutch . . . 25" cut . . . instant, hub cap cutting adjustment . . . 12-inch rear tires, 10-inch front, comfortable seat . . . deluxe chrome steering handle. It's an easy handling, fast-working rider. Shipping wt. 235 lbs.

5 hp (891) holiday

Everything about this smartly styled rider says comfort, handling ease and big capacity. Spunky 5 hp Lauson engine has plenty of go and reserve. And you get the plus benefits of an auto-type transmission, non-slip differential, cast iron bell housing and independent blade clutch. It also features 25-inch cut . . . instant, safety lock cutting adjustment . . . wide tread tires . . . cushioned bucket seat . . . all-welded steel frame with towing hitch. Shipping wt. 260 lbs.

4 hp (890) cadet

Here's one of our most popular models. Performs as capably as many higher priced riders. Powered by a 4 hp Briggs & Stratton engine with Easy Spin starter, it runs quietly, dependably. Auto-type transmission has forward, neutral, reverse. And you get deluxe features such as traction brakes . . . non-slip differential . . . independent blade clutch . . . safety-blade brake . . . instant, safety lock cutting adjustment . . . wide tires to protect your lawn. Deck is deep drawn steel, shields 25-inch blade. Chrome steering wheel. Shipping wt. 250 lbs.

NON-SLIP DIFFERENTIAL

All riders have it. You take turns, climb banks without hanging up. When one wheel tends to slip, full power is directed to the other.

SNOW / DOZER BLADE

Versatile accessory. 3-foot blade mounts in seconds. Extra order equipment.

power up your lawn and garden chores — this way!

GILSON TRACTORS

There's a certain flair and a hustle about these tractors that gives you a generous measure of pride and performance. Big, husky engines working together with precision drives power up every job. Automotive-type controls give you quick, responsive handling — save time on the job. And there's more comfort than ever before. Roomy bucket seats to cushion, smooth out your ride. Big steering wheels to reduce effort. Over 20 attachments, too — matched to the tractor and year around chores.

commander

Here's a tractor that knows how to work and look smart doing it. From the moment you slip onto the cushioned bucket seat, the pleasure's all yours. The riding's smooth, you practically glide through your work. And it's nimble. Just a touch on the steering wheel gives you quick response. Power? All you need for the toughest lawn, garden or utility job. You get a choice of engines in 6, 8, 10 hp . . . manual or electric starting . . . 3 speed auto-type transmission, differential . . . single pedal brake clutch . . . low profile, wide tread tires (can't mark your lawn) . . . all-welded steel frame. The Commander's a lot of tractor and performance. Wide selection of attachments give you extra versatility.

Condensed Specifications

Model — 720 - 6 hp manual start
721 - 6 hp electric start
722 - 8 hp electric start
723 - 10 hp electric start

Engines — B&S 6 hp, 4 cycle
Kohler 8 hp, 4 cycle
Kohler 10 hp, 4 cycle

Ignition — 12 V key lock, push button start (Std. on 8 & 10 hp. Opt. on 6 hp.)

Controls — Throttle, choke, single foot brake and clutch, mechanical implement lift, gear shift lever.

Tires — Rear 7.50 x 12
Front 4.80 - 4.00 x 8

Dimensions — 63⅜" L x 36" W x 36⅝" H

Shipping Wt. — 720 - 480 lbs.
721 - 516 lbs.
722 - 536 lbs.
723 - 556 lbs.





8 & 10 hp commander

Same features as regular Commander but more power and stamina. Rugged Kohler engines with electric start.

precision transaxle

All gears are precision cut. Shafts are mounted in tapered roller bearings. Housed in a cast iron case to maintain perfect alignment, easy shifting. Assures smooth power flow to drive wheels.

pacer

There's a lot of satisfaction in owning a Pacer. Its smart, distinctive styling sets it apart from other tractors. You get a comfortable ride up on the soft bucket seat. And because the engine is rear-mounted, it's easy to see where you're going, what you're doing. 9 hp engine in the rear means better traction, too, for safe, sure handling on slopes and grades. On any lawn or garden job. What's more, the Pacer drives as easily as your car with 3-speed, dual-range transmission . . . convenient clutch lever . . . fingertip controls . . . roomy platform . . . parking brake . . . 12 V ignition with key start. With all its attachments, the Pacer is a proven performer off the home yard, too. Ideal for industry, institutions, country clubs, municipal jobs.

Condensed Specifications

Model — 900 - 9 hp, B&S 4 cycle engine (6 x 12 rear tires, 4.80 - 4.00 x 8 front)
919 - 10 hp, Kohler 4 cycle engine (Complete with head lights . . . 7.50 rear tires, 4.80 - 4.00 x 8 front)

Ignition — 12 V with key start

Controls — Throttle, choke, hand clutch, foot brake, gear reduction automotive steering. Mechanical implement lift. Separate PTO clutch. Lever control high/low range.

Dimensions — Wheelbase 46½" - 72¾" L x 32¼" W x 45¼" H

Shipping Wt. — 830 lbs.





exclusive dual range transaxle

The Pacer has a high and low range transaxle which provides a combination of 6 speeds forward and 2 in reverse. Speed range from ¾ to 8 mph assures smooth, steady operation at all times.

Rugged 116-pound transaxle casting and shock-resistant clutching mechanism protect gears. Heavy shafting, 16 anti-friction bearings and 11 bronze bushings insure delivery of full horsepower. Chamfered gears assure smooth, no-jam shifting.

MATCHED TRACTOR ATTACHMENTS

for year 'round lawn, garden and utility chores



Rotary Mower, 38" — Center mounted for Pacer — No. 40-101 Commander — No. 743



Rotary Mower, 55" — Center mounted, rear discharge — Pacer No. 40-102



Tiller, 36" — Rear mounted, adjustable depth, requires lift mechanism — Pacer No. 40-103

Moldboard Plow — Swivel rolling coulter, adjustable draft — Pacer or Commander No. 40-104



Cultivator, Rear Mount — adjustable draft — Pacer or Commander No. 40-105

Disc Harrow, 12" — Rear mounted, requires lift mechanism — Pacer or Commander No. 40-106



Rolling Spike Harrow — Pull-behind, cultivates full 48" rows. All welded construction — Pacer or Commander No. 40-107



Reel Mower, 3 Gang — Ground driven, cuts 5 ft. swath. Cutting height adj. 1 to 3" — Pacer or Commander No. 40-110

Reel Mower, 5-Gang — Ground driven, cuts 8 ft. 2" swath. Cutting height adj. 1 to 3" — Pacer or Commander 10 hp No. 40-127

Dump Cart, ½ ton — Dumps completely without unhitching. Pneumatic tires — Pacer or Commander No. 40-111

Snow/Dozer Blade, 42" — Angles right, left, or straight. Controlled by lift lever, spring trip — Pacer No. 40-113, Commander No. 945



Snow Thrower, 36" — Front mounted. Discharge adjustable 360°. Includes all drive mechanism — Pacer No. 40-114 Commander No. 954.

Accessories

Ask your dealer for information on the complete line of work-saving accessory equipment for Pacer and Commander tractors.

Optional Accessory Equipment
Rear lift mechanism — 40-108 Pacer, 944 Commander
Front lift mechanism — 40-117 Pacer
Implement hitch (drawbar) — 40-109 Pacer
Rear wheel wts., 25 lbs. — 40-120 Pacer or Commander
Rear wheel wts., 65 lbs. — 40-121 Pacer or Commander
Front wheel wts., 27 lbs. — 40-122 Pacer or Commander
Dual wheel kit — 40-124 Pacer, 948 Commander
Also: Tire chains, Headlight Kits, Cigarette Lighters.

take a clean sweep of your lawn — this way!

GILSON LAWN VACUUMS

They pick up practically everything, keep your whole yard neat and clean without laborious raking. These fast-working lawn vacuums cover a 30-inch swath — powerful vacuum picks up leaves, grass clippings, shavings, all kinds of litter. One pass and you get it all! Ideal for the lawn, terraces, walks, drive. King-size reinforced catch bag packs a big load, needs few unloadings. Large rear tires and swivel front wheel mean smooth rolling, extra maneuverability. Adjustable height for all surfaces. Extra attachments include extension hose, dustproof bags, rear blower.

4 hp (792) lawn vacuum

Rugged 4 hp, 4 cycle Briggs & Stratton engine with Easy Spin starting. Cast aluminum housing and precision cast blower. Completely safe with all moving parts fully enclosed. Reinforced catch bag is supported from bottom and hooks over both handles . . . opens easily with full length zipper. 10 x 2.75 semi-pneumatic wheels. Adjustable height. Shipping wt. 120 lbs.

3½ hp (788) lawn vacuum

A quality product at a popular price with all the fine features of larger horsepower units. 3½ hp B&S engine. 10 x 1.75 semi-pneumatic wheels. Shipping wt. 96 lbs.

Accessories

Hose Extension (670)

Ideal for cleaning in and around bushes, and tight places. Flexible reinforced plastic. Plugs into vacuum housing. Fits both 3½ and 4 hp.



Extra Catch Bags

(673) Standard bag.

Keep an extra bag on hand . . .

speed composting, make better humus — this way!

GILSON SHREDDER-GRINDERS

Fine shredding action turns clippings, vegetable tops, leaves, trimmings into quicker decaying compost, mulch, or organic matter to till into your soil. Compact Gilson Shredder-Grinders are Briggs & Stratton powered, compact and easy to move from one location to another. All models have surprising capacity for their size and are ruggedly constructed in every way. Whether you use it for composting or as partner for your tiller, you'll find a Gilson Shredder-Grinder is the low cost way to make rich plant food from garden waste and build up your soil as well.



3 hp (808) kutup

Ideal for bigger gardens with increased capacity to handle heavier materials. 3 hp B&S engine. New design steel blades with multiple cutting edges mounted in sealed ball bearings. Enclosed V-belt drive with safety slip clutch. 20 x 18" hopper opening. 10 x 1.75 wheels. Shipping wt. 200 lbs.



6 hp (909) chopper

This is for tough, big capacity shredding jobs. 6 hp B&S engine. Heavy duty steel blades with multiple cutting edges mounted in sealed ball bearings. Enclosed V-belt drive with safety slip clutch. 16¾ x 16¾" hopper opening. 12 x 1.75 reinforced wheels. Shipping wt. 245 lbs.

3 hp (707) komposter

Perfect for the hobby gardener. Dependable, low-cost 3 hp B&S engine. Steel blades mounted in sealed ball bearings. Enclosed V-belt drive with safety slip clutch. 15 x 15" hopper opening. 6 x 1.50 wheels. Shipping wt. 140 lbs.

For additional information on performance, operation and results of composting of various materials, ask your dealer or write direct for form D88.

warm up to a long cold winter – this way!

GILSON SNOW BLOWERS

Get that warm feeling of satisfaction from a tough job well done. With a Gilson snow blower, you're ready for anything winter can hand out. Deep, packed drifts. Dry powdery snow. Heavy wet stuff.

There's no stopping this ruggedly built unit. Two-stage design keeps it moving right along under all conditions. Low speed, double lead auger breaks up and feeds snow into a high speed, second stage impeller. No clogging, no bogging down; snow's thrown wide and clear.

And this Gilson is a fast worker. 26-inch cut clears a lot of snow in a hurry. Self-propelled design with forward, neutral and reverse means easy handling in every way. Just guide it. Separate clutch for the auger assures complete control. Geared chute adjusts easily and smoothly through 180° with just a twist of a crank at the handle. Weatherproofed engine means sure all-weather starts and operation. Two Lauson Snow King powered models: 4 hp, and 6 hp with two speeds forward.



MODEL 820
6 HP

MODEL 821
4 HP

SPECIFICATIONS

	6 HP MODEL 820	4 HP MODEL 821
Engine	Lauson Model H-60 Snow King with ring gear for optional 110 volt electric starter	Lauson Model H-40 Snow King
Stages	2 — auger and impeller	2 — auger and impeller
Auger	26" width, 16" diameter double lead	26" width, 16" diameter double lead
Impeller	12" diameter, 4 blade	12" diameter, 4 blade
Drive	forward — neutral — reverse (enclosed gear case) with two speeds forward	forward — neutral — reverse (enclosed gear case)
Tires	13 x 5.00-6 low pressure pneumatic. Tire chains opt.	3.50x6 semi-pneumatic. Tire chains opt.
Chute	180° remote control. Adjustable	180° remote control. Adjustable
Controls	F-N-R shift on handle (dead man control in reverse)	F-N-R shift on handle (dead man control in reverse)
Net Weight	265 lbs.	255 lbs.
Miscellaneous	Adjustable scraper blade and skids, drift cutter	Adjustable scraper blade and skids, drift cutter

outdoor meals are easier to prepare, taste better — this way!

GILSON BROIL 'N BAKE GRILLS

Now you can turn out a perfect outdoor meal every time — with Gilson 2-way draft control. This deluxe grill gives you close temperature regulation with adjustable vents in the hood and in the fire box. Built-in thermometer gives you exact inside readings in any weather. Large fuel doors in the front let you tend the coals without disturbing food or the grill. Enclosed grilling means you keep all the flavor in, cook faster. Food just naturally tastes better. And when you're through cooking, close draft vents and the fire goes out. You can re-use charcoal, use far less fuel than conventional grills.

Gilson Broil 'n Bake Grills are constructed solidly of heavy steel, with cast iron side plates, grates and grilling surface. Cooking area is 30 x 16 inches. Large 30 x 10-inch solid oak cutting board gives you a convenient working surface, folds down. And there's plenty of room for hot pots and pans on the cast iron side shelf. Overall height is 40½ inches. Legs are chrome plated. Grill rolls easily on 8 x 1½-inch wheels. Shipping weight, 150 lbs. Lower priced, standard model shown at right is similar in construction but without shelves. Rotisserie spit with heavy-duty electric motor, smoker accessories are optional for both models.

Model 703 Standard



Model 700 Deluxe

REC. SEPT. 15, 1965

Gilson® BROTHERS COMPANY

P.O. BOX 152, PLYMOUTH, WISCONSIN 53073

Form No. 174-8-65

Gilson® PRICE LIST

Effective August 1, 1965
Subject to change without notice

TILLERS

MODEL NO.	NAME	DESCRIPTION	SHIPPING WEIGHT	SUG. LIST PRICE
343	Super Standard	3½ HP Briggs	150	$144.95
245	Corporal	4 HP Briggs	170	159.95
347	Super 400	4 HP Briggs	160	164.95
374	Super Deluxe	4 HP Briggs	200	174.95
451	Corporal Heavy Duty	5 HP Lauson 2 Speed	180	194.95

TILLER ACCESSORIES

601	Extension Tines	14" Bolo Tines	18	$ 13.95
603	Drive Wheels	13 x 5.00-6	22	34.95
604	Lawn Rollers	Per Pair (water filled weight, 150#)	62	29.95
605	Transport Wheels	Semi-Pneumatic Tires	15	19.95
606	Snow Blade	With 13x5.00-6 Semi-Pneu. Tires	52	59.95
610	Extension Tines	14" Slashers	19	17.95
620	Extension Tines	12" Bolo	15	11.95
	Spray Paint	Per Can — Specify Color		.95
649	Hiller Attachment		16	19.95
	Tiller Lube Oil	½ Pt. Can — SAE 140		.50
651	Furrow Opener	1964-1965-1966 Models	4	3.50
680	Lawn Edger	Fits All Models	10	9.95

CHAIN DRIVE TILLERS

268	Brave	3 HP Briggs & Stratton	165	$159.95
269	Warrior	4 HP Briggs & Stratton	185	189.95

CHAIN DRIVE ACCESSORIES

601	Extension Tines (Brave)		18	$ 13.95
603	Tractor Wheel	13 x 5.00-6 Pneumatic	22	34.95
604	Lawn Rollers	Per Pair (water filled weight, 150#)	62	29.95
605	Transport Wheels		15	19.95
606	Snow Blade		30	25.95
607	Snow Blade	W/13 x 5.00-6 Drive Tires	52	59.95
610	Extension Tines	(Warrior Model)	20	17.95
612	Finger Tines	22" Width (Set of 4)	22	29.95
614	Finger Tine Extension	Set of 2	10	14.95
617	Turning Plow		21	12.00
618	4-Prong Wishbone Harrow		28	16.50
619	Sweep Assembly		10	7.95
625	3-Prong Wishbone Harrow		21	15.95
627	Angle Rotors		35	19.95
634	Pick Rotors	16" Width	25	27.95
653	Hiller Attachment		16	16.95
654	Spring Tooth Cultivator		25	19.95
655	Cultivator		28	13.95
656	Transport Wheels		15	19.95

RIDING MOWERS

889	Custom	4 HP Briggs	235	$199.95
890	Cadet	4 HP Briggs	250	259.95
891	Holiday	5 HP Lauson 2 Speed	260	309.95
892	Holiday Deluxe	6 HP Lauson 3 Speed	310	339.95

RIDING MOWER ACCESSORIES

640	Differential Kit	Non-Slip	15	$ 24.95
644	Seat Pad		2	4.95
660	Sno/Dozer Blade — 36"	For Model 890 & 891	27	24.95
661	Sno/Dozer Blade — 36"	For Model 889 & 892	27	24.95

LAWN VACUUM

788	Standard	3½ HP Briggs	98	$154.95
792	Deluxe	4 HP Briggs	120	169.95

LAWN VAC ACCESSORIES

670	Flexible Hose Attachment		4	$ 27.95
673	Standard Bag	4 HP '65 Models & Earlier	3	13.95

COMPOST SHREDDERS

909	Chopper	6 HP Briggs	245	$289.95
808	Kutup	3 HP Briggs	200	184.95
707	Komposter	3 HP Briggs	140	129.95

SNOW THROWERS

821	Super	4 HP Lauson	255	$279.95
820	Deluxe	6 HP Lauson 2 Speed	265	329.95

SNOW THROWER ACCESSORIES

10564	Tire Chains	For Model 821		$ 7.95
10533	Tire Chains	For Model 820		9.95

BROIL 'N BAKE CHARCOAL BROILERS

700	Broiler	Deluxe Charcoal Broiler	150	$ 99.50
703	Broiler	Standard Charcoal Broiler	125	79.50
100	Spit & Motor	Heavy-Duty Spit & Motor	6	17.95
705	Smoker		15	22.95

PACER TRACTOR

MODEL NO.	NAME	DESCRIPTION	SHIPPING WEIGHT	SUG. LIST PRICE
900	Pacer 900	9 HP B&S Electric Start	830	$774.95
919	Pacer 1000	10 HP Kohler — Electric Start w/Lights & Wide Tires — Std.	860	829.95

PACER ATTACHMENTS

40-932	38" Mower Attachment	Twin Blade — Includes Lift	110	$149.95
40-102	55" Mower Attachment	Three Blade — Includes Lift	145	194.95
40-103	36" Tiller	Requires 40-108	220	229.95
40-104	10" Plow	Requires 40-108 & 40-109	57	65.00
40-105	Cultivator	Requires 40-108 & 40-109	54	39.95
40-106	Disc Harrow	Requires 40-108 & 40-109	56	44.95
40-107	Rotary Hoe	Requires 40-109	50	39.95
40-108	Rear Lift Mechanism		24	24.95
40-109	Implement Hitch (Draw Bar)		8	7.95
40-110	3 Gang Mower	Requires 40-109	302	249.95
40-111	Dump Cart	Requires 40-109	90	84.95
40-113	42" Snow Blade	Requires 40-117	50	29.95
40-114	36" Snow Thrower	Includes Drive & Lift	195	239.95
40-117	Front Lift		50	36.95
40-120	Rear Wheel Weights	25 Lb., Pair	50	17.95
40-121	Rear Wheel Weights	65 Lb., Pair	130	32.95
40-122	Front Wheel Weights	27 Lb., Pair	54	17.95
40-123	Tire Chains	6-12	33	18.95
40-124	Dual Wheel Kit		65	79.95
40-126	Light Kit		6	24.95
40-127	5 Gang Mower	Requires 40-109	508	424.95

COMMANDER TRACTORS

720	Commander	6 HP Briggs — Recoil Start	450	$484.95
721	Commander	6 HP Briggs — Electric Start	516	589.95
722	Commander	8 HP Kohler — Electric Start	536	714.95
723	Commander	10 HP Kohler — Electric Start	556	779.95

COMMANDER ATTACHMENTS

943	38" Rotary Mower	Includes Lift	92	$129.95
944	3 Point Hitch		24	18.00
945	Sno/Dozer Blade	Includes Lift	50	59.50
946	Light Kit		5	14.50
947	Cigarette Lighter		1	4.95
948	Dual Wheel Kit		60	89.95
954	Snow Thrower	Includes Lift	175	169.95
40-104	10" Plow	Requires 944	57	65.00
40-105	Cultivator	Requires 944	54	39.95
40-106	Disc Harrow	Requires 944	56	44.95
40-107	Rotary Hoe		50	39.95
40-110	3 Gang Mower		303	249.95
40-111	Dump Cart		90	84.95
40-120	Rear Wheel Weights	25 Lb., Pair	50	17.95
40-121	Rear Wheel Weights	65 Lb., Pair	130	32.95
40-122	Front Wheel Weights	27 Lb., Pair	54	17.95
40-127	5 Gang Mower		508	424.95